

Modern Marriage

By
Uncle Paul's Quilting Company

Fabric Requirements:

6 ½ yd – Fabric A – Background – White/Light Green Batik
1 ½ yd – Fabric B – Large “Focus” Square – Blue Floral Batik
1 ¼ yd – Fabric C – Large Tile Square – Blue/Green Batik
½ yd – Fabric D – Medium Tile Square – Aqua Batik
¼ yd – Fabric E – Small Tile Square – Navy Blue Batik
1/3 yd – Fabric G – Corner Tile Square – Light Green Batik
¾ yd – Binding

This quilt is ideal for using scraps and smaller pieces of fabric. Check cutting requirement for needed “squares” of fabric if you wish to create a scrappy version.

Cutting Instructions:

Fabric A – Cut 2 – 25 ½” strips, sub-cut into 2 – 25 ½” x 25 ½” squares, cut 10 – 5 ½” strips, sub-cut into 2 – 5 ½” x 40” strips, 6 – 25 ½” x 5 ½” rectangles, 2 – 5 ½” x 15 ½” rectangles, 6 – 5 ½” x 10 ½” rectangles, and 6 – 5 ½” x 5 ½” squares; Cut 14 – 4 ½” strips; Cut 3 – 3 ½” strips, sub-cut into 2 – 3 ½” x 15 ½” rectangles, 2 – 3 ½” x 9 ½” rectangles and 6 – 3 ½” x 3 ½” squares.

Fabrics B – Cut 2 – 25 ½” x 25 ½” squares

Fabric C – Cut 3 – 10 ½” strips, sub-cut into 10 – 10 ½” x 10 ½” squares


Fabric D – Cut 2 – 5 ½” strips, sub-cut into 10 – 5 ½” x 5 ½” squares.

Fabric E – Cut 1 – 3 ½” strips, sub-cut into 10 – 3 ½” x 3 ½” squares.

Fabric F – Cut 1 – 9 ½” strip, sub-cut into 2 – 9 ½” x 9 ½” squares.

Construction:


1. Using 2 – 25 ½” squares of Fabric B, 2 – 25 ½” x 15 ½” and 2 – 25 ½” x 40 ½” rectangles of Fabric A, create two of the following units. Press seams toward Fabric A.



2. Using the 10 – 10 ½” x 10 ½” squares of Fabric C and 6 – 5 ½” x 10 ½” rectangles of Fabric A, create two of each of the following units: Press Seams toward Fabric C




3. Using the 10 – 5 1/2" x 5 1/2" squares of Fabric D and 6 – 5 1/2" x 5 1/2" rectangles of Fabric A, create two of the following units: Press Seams toward Fabric C




4. Using the 10 – 3 1/2" x 3 1/2" squares of Fabric E and 6 – 3 1/2" x 3 1/2" rectangles of Fabric A, create two of the following units: Press Seams toward Fabric C.



5. Using the 2 – 9 1/2" x 9 1/2" squares of Fabric F and 2 – 3 1/2" x 9 1/2" rectangles of Fabric A, create two of the following units: Press Seams toward Fabric F.




6. Using the 2 – 3 1/2" x 15 1/2" and 2 – 5 1/2" x 15 1/2" rectangles of Fabric A and the units created in steps 5 and 4, create two of the following units. Press all seams toward Fabric A.



7. Using the 2 – 5 1/2" x 15 1/2" and 2 – 5 1/2" x 25 1/2" rectangles of Fabric A and the units created in steps 3 and 6, create two of the following units. Press all seams toward Fabric A.



8. Using the 2 – 5 1/2" x 25 1/2" and 2 – 5 1/2" x 40 1/2" rectangles of Fabric A and the units created in steps 2 and 7, create two of the following units. Press all seams toward Fabric A.



9. Using 2 – 4 ½" x 40 ½" strips of Fabric A and the units from Step 1 and Step 8, create 2 of the following units, pressing seams toward Fabric A



10. Join all remaining 4 ½" strips of Fabric A together to create a single strip.
11. Measure the length (long measurement) of the quilt through the center. Cut three 4 ½" strips to this size. Join the pieced section with the three strips. Press seams toward Fabric A.
12. Measure the length of the quilt through the center cut 2 – 4 ½" strips of Fabric A. Attach the strips to either side of the quilt. Press seams toward Fabric A.
13. Top is now ready to layer with back & batting, quilt and bind.

Reference Photo

Please note that photo is rotated 90-degrees from graphics represented in instructions.

